



**Guaranteed** to Stay White for a Lifetime.

Find us in

MasterSpec

a product of The American Institute of Architects

# PRODUCT CATALOG

Division 9 + 10

DESILE.

# "the best dry erase board we have tried

- Bryan Hunter Maintenance Supervisor **Lawrence Public Schools** Lawrence, KS

It takes 20 minutes to install a resurfacing panel - no drilling, no screwing, nothing to do except peel and stick. That makes my job easier."

> - Mike Meyers **Buildings & Grounds Manager Rice Lake School District** Rice Lake, WI

> > "the boards stay white and we don't receive complaints \*\*

> > > - Jim White Architect **Colorado State University** Fort Collins, CO

the boards are extremely

> durable - Courtney Kudey

Regional Facility Director Reuters New York, NY

#### **Table of Contents**

- 1 EVERWhite
- 2 Ordering Details
- 3 Products

#### **Resurfacing Solutions**

- 4 Everase High Gloss Resurfacing Material
- 5 Before and After Examples
- 6 Printed Dry Erase Resurfacing Material 7 Printed Dry Erase Resurfacing Material 8 Commercial Erasable Wallcovering

- 9 Custom Printed Commercial Erasable Wallcovering
- 10 Clear Dry Erase Laminates
- 11 Technical Performance of Everase Surfaces
- 12 **EverEZ** Resurfacing Panels
- 13 Resurfacing Panel Measurement Form

#### Whiteboards

- 14 Aluminum Framed Whiteboards
- 15 Wood Framed Whiteboards (Wide)
- 16 Wood Framed Whiteboards (Narrow)
- 17 **ULTImatte** 5-Foot Tall Matte Projection Whiteboards
  18 **EDISONSeries** Plain Mobile Whiteboards

#### Printed Whiteboards

- 19 Printed Mobile Whiteboards
- 20 Education Whiteboards
- 21 EZGrid Ghost Whiteboards
- 22 Calendar Whiteboards
- 23 Coaching Whiteboards
- 24 Custom Shop Custom Printed Whiteboards
  25 Custom Printed Gallery
  26 Custom Printed Whiteboards

- 27 Custom Printed Magnetic Overlays

#### Re-Stic Dry Erase Surfaces

- 28 29 Plain Re-Stic Dry Erase Surfaces
- 30 31 Standard Printed Re-Stic Dry Erase Surfaces
- 32 33 Custom Printed Re-Stic Dry Erase Surfaces

#### **Cork Boards**

- 34 Aluminum Framed Cork Bulletin Boards
- 35 Wood Framed Cork Boards

#### **Combination Boards**

- 36 Aluminum Framed Combination Boards
- 37 Wood Framed Combination Boards Magnetic

#### **Accessories**

38 Accessories

#### **Testimonials**

39 Testimonials

order online www.everwhiteboards.com order by phone 800-335-7319

order by email sales@everwhiteboards.com



# **EVERWhite Whiteboards Stay White and Bright—GUARANTEED!**

EVERWhite dry erase boards eliminate ghosting and staining. Even permanent marker ink can be removed!

Unlike traditional melamine or porcelain dry erase surfaces, the EVERWhite surface is nonporous and does not allow marker ink to penetrate. The result is a whiteboard that never needs to be replaced due to ghosting or staining.

When you choose EVERWhite, you'll be joining thousands of satisfied EVERWhite customers who never again have to worry about replacing stained whiteboards.

Thousands of educational institutions, businesses, and healthcare facilities around the country trust the EVERWhite name to provide important benefits:

- Savings. Backed by one of the best warranties in the industry—a lifetime guarantee against staining—you'll never have to replace dull, stained whiteboards again. And, as both the manufacturer and seller of EVERWhite products, we're able to provide you with factory-direct prices with no markup from a middleman.
- Engaging presentations. The stain-free surface remains as white as the day your board was installed, so you'll never have to worry about marker ink stains interfering with writing.

- Easy maintenance. No need for expensive cleaners. The guaranteed-to-clean EVERWhite surface remains white with occasional cleaning using water or household glass cleaner and a soft cloth.
- Affordable customization. Experts at customization, we're able to provide boards for your specific needs at affordable prices—no matter how large or small your order.
- Environmental benefits. EVERWhite whiteboards include recycled materials, and EVERWhite resurfacing panels prevent old chalkboards and whiteboards from being discarded in landfills.
- Unmatched customer service. Your satisfaction is our priority. Let us help you find the right products for your needs. Amazing whiteboards with amazing service—that's the EVERWhite Advantage!

You'll cut costs, prevent complaints, and save valuable time with EVERWhite.

# **Ordering Details**

#### **Ordering Resurfacing Panels**

Before ordering resurfacing panels, reading the resurfacing panel measurement instructions is recommended to ensure correct measurements are taken. Instructions on how to measure your existing boards to order panels are available on our website. Reading installation instructions before installation is highly recommended because the aggressive adhesive backing on resurfacing panels is very strong, and it is difficult to remove if a mistake is made during installation. Panel installation instructions are included in shipments of panel orders and are available on our website.

#### **Magnetic vs. Non-Magnetic Surfaces**

If you do not need your dry erase board to hold magnetic accessories, choosing a non-magnetic surface will save money. Both magnetic and non-magnetic EVERWhite boards are the same surface with a lifetime guarantee against ghosting and staining.

#### **Care and Maintenance**

Use our microfiber EVERCloth with water, dry erase cleaner or glass cleaner to keep your EVERWhite whiteboard looking new for a lifetime. To erase permanent marker, simply write over the permanent marker with dry erase marker, and erase. Or, to remove permanent marker from large areas, contact us for recommended cleaners. No harsh cleaners are required to remove marker ink from an EVERWhite board. Never use cleaners with abrasives or scouring pads, as they can ruin the dry erase surface. See our complete care and maintenance instructions on our website.

#### **Lifetime Guarantee**

At EVERWhite, our name is our promise. Our products are proudly manufactured in the USA and are guaranteed not to stain for a lifetime. If EVERWhite dry erase boards have any staining under normal usage and with maintenance that follows the care and use instructions included with the boards, we'll replace them. Use of abrasive cleaners, substances or sharp instruments may scratch the surface and are not covered by the warranty. The warranty is only valid for the original purchasing entity. EVERWhite products are designed to be installation-ready, however, installation and the installation environment are out of EVERWhite's control and therefore installation is not warranted by EVERWhite in any circumstance. To file a claim, contact EVERWhite customer service at (800) 335-7319.

#### **Architects and Contractors**

EVERWhite has specifications, CAD drawings and BIM models available on www.everwhiteboards.com. We invite all contractors to add EVERWhite to your bid list. EVERWhite provides competitive pricing and fast delivery on bid shipments.

#### **Terms and Conditions**

All prices are based on quantity discounting and F.O.B. origin. Freight is prepaid and added excluding locations outside the continental U.S., which will be shipped freight prepaid and added to any port in the continental United States. EVERWhite reserves the right to change prices and specifications without prior notice. Prices are effective as of the date specified on the back cover of this catalog and supersede all previously published catalogs. Charges are payable upon receipt of product. Prices listed are for standard products. Additional charges apply for modifications such as custom cutting, custom sizes and custom frames. All whiteboards and resurfacing panels are made to order and are non-returnable. When ordering wood framed boards, please allow for naturally occurring variations in color, grain and character marks.

#### **Freight Responsibility**

Please inspect your delivery before signing the delivery receipt. It is advisable to unpack your delivery and check for concealed damage. Your delivery should appear in good condition and in accordance with the quantity indicated on the delivery receipt. Please note any damage on the bill of lading before signing the delivery receipt, and notify EVERWhite within 2 days to report damage. It is the customers' responsibility to unload shipments. For inside delivery options, please inquire with EVERWhite customer service. Additional charges may apply. Before ordering large boards, please make sure they are not too large to be transported throughout your facility. For more information about shipping, please visit: https://everwhiteboards.com/whiteboard-resources/shipping-information/

#### **Ground Shipments**

Most items up to and including products sized 36" x 48" or under can be shipped via UPS. All other larger products are shipped via freight carrier.

#### **Contact Us**

EVERWhite 184 Railroad Drive Warminster, PA 18974 phone: (800) 335-7319 fax: (215) 323-4135 sales@everwhiteboards.com www.everwhiteboards.com

#### **Products**

For details on the various types of EVERWhite boards and resurfacing panels, please see the product descriptions below. All of the following products feature the lifetime guaranteed EVERWhite dry erase surface.



#### **Resurfacing Solutions**

#### **Everase Resurfacing Material**

Our resurfacing material installs over existing chalkboards or dry erase boards with a factory applied self adhesive backing and can be trimmed to fit precisely within any existing frame.

#### **EverEZ Resurfacing Panels**

Transform old whiteboards or chalkboards into new whiteboards in minutes with EverEZ Resurfacing Panels. Custom cutting is available to fit within the frames of your existing boards. Resurfacing panels consist of the EVERWhite dry erase surface backed by a layer of 24-gauge treated steel with a factory applied pressure-sensitive self-adhesive backing for easy installation. Just peel and stick!

#### **Aluminum Framed Whiteboards**

For a sleek, contemporary look, choose our tempered aluminum frames enhanced with a satin, clear anodized finish. Aluminum frames are available in narrow or wide widths, with or without marker trays. Marker trays feature durable, molded snag-free end caps.

#### **Wood Framed Whiteboards**

For an ultra-sophisticated look, select one of our high-quality wood framing finishes—oak, maple, cherry stain, or mahogany stain. Wood frames are available in narrow or wide widths, with or without marker trays.

#### 5-Foot Matte Projection Whiteboards

Get an extra foot, or 20% more space compared to a traditional 4-foot whiteboard with an EVERWhite 5-foot tall whiteboard. The low-glare surface is ideal for projection as it supports use as a video projection whiteboard. Despite the matte surface, the dry erase is still easy to clean and always stays white.

#### **Mobile Whiteboards**

Get twice the classroom writing space with EVERWhite's Double-Sided Mobile Magnetic Dry Erase Board with Aluminum Frame. Simply turn the pivot knob on the frame to flip the board over, and lock it in place to start writing. The EVERWhite surface resists ghosting and accepts magnets. Holds markers and EVERCloths in the full-length accessory tray. Choose from five available sizes.

#### **Cork Bulletin Boards**

Cork Bulletin Boards include crumble-resistant, selfhealing cork that will never peel, crack and reduces pinholes. Choose from fifteen available colors.

#### **Cork/Dry Erase Combination Boards**

Part whiteboard and part bulletin board, these boards feature both the EVERWhite dry erase surface and a tack able surface. Available in four customizable configurations.

#### **Education Printed Whiteboards**

Designed with the teacher or professor in mind, Education Printed Whiteboards feature helpful classroom graphics. Graphics are embedded underneath the dry erase surface, so they will never wear away or interfere with writing.

#### **EZ Grid Whiteboards**

With three unique grid designs to choose from, these ghosted patterns provide a guide for drawing and writing, but are barely visible to people viewing presentations. All patterns are printed below the dry erase surface and will never wear away or interfere with writing.

#### **Calendar Whiteboards**

1-Month, 2-Month, 3-Month, 4-Month, 6-Month and 12-Month calendar options are available in various colors to help you stay organized all month, quarter or year long. Month and date magnet accessory sets are available for additional purchase.

#### **Sports and Recreation Printed Whiteboards**

Customized to fit the needs of any coach or trainer, Sports and Recreation Printed Whiteboards feature customized graphics such as strength and conditioning charts, rosters, or court/field diagrams that are embedded underneath the EVERWhite surface. Graphics will never wear away or interfere with writing.

#### **Custom Printed Whiteboards**

EVERWhite Custom Printed Whiteboards feature the stain-free EVERWhite surface with customized graphics such as charts, calendars, logos, or diagrams are embedded underneath the dry erase surface and will never fade or wear away. Choose from various standard or customized framing options to match the aesthetics of your school, office, healthcare facility, production plant, or anywhere.

#### **Graphic Magnetic Overlays**


Looking to make your whiteboard more versatile? EVERWhite Graphic Magnetic Overlays can be customized with your specific graphics and applied to wall-mounted and mobile whiteboards. All you need to do is apply your overlay to your magnetic whiteboard to get a new custom dry erase surface.

#### Accessories

EVERWhite has a wide range of whiteboard accessories, including cleaner, dry erase markers, microfiber cloths, maprails, and more.

# **Everase High Gloss Resurfacing Material**

Everase's Dry Erase High Gloss Resurfacing Material features our high-quality writing surface with a high gloss finish. Our simple resurfacing process is the quickest, easiest and most affordable solution to transform an old chalkboard or inferior stained and ghosted whiteboard into a new dry erase board. Our resurfacing material installs over existing chalkboards or dry erase boards with a factory applied self adhesive backing and can be trimmed to fit precisely within any existing frame. Instructions and a video for simple installation are included.



Pressure Sensitive Adhesive

# **Features and Benefits:**

- Easy, Do-It-Yourself Installation at 30 minutes per board
- Excellent Erasability & Durability
- Permanent marker can easily be removed
- Non-yellowing, non-chalking, non-ghosting
- Cleans without the use of cleaners, just water and a cloth
- Abrasion, Chemical, Heat, Scratch, Stain & Solvent Resistant
- Ships as a roll by FedEx/UPS Ground
- 10-year limited warranty
- Manufactured in the USA

# **Applications:**

- Classrooms
- Conference rooms and think tanks
- Collaborative environments
- Walls and desks
- And more!

# **Specifications:**

- Heights: 50" and 61"
- Lengths: 9 ft., 17 ft., 56 ft., and 100 ft.
- Custom Lengths available upon request
- Thickness: 11 mil
- Surface Finish: White High Gloss Dry Erase
- Adhesive: Aggressively removable pressure sensitive adhesive
- Release Liner: Siliconized paper

#### **Dry Erase Resurfacing Material (50 inch)**

Item #	Size	Weight	Package Dimensions
AA11NA-9	9 ft. x 50"	13 lbs.	9" x 9" x 54"
AA11NA-17	17 ft. x 50"	17 lbs.	9" x 9" x 54"
AA11NA-56	56 ft. x 50"	39 lbs.	9" x 9" x 54"
AA11NA-100	100 ft. x 50"	61 lbs.	9" x 9" x 54"

#### **Dry Erase Resurfacing Material (61 inch)**

Item #	Size	Weight	Package Dimensions
AA11NC-9	9 ft. x 61"	15 lbs.	9" x 9" x 63"
AA11NC-17	17 ft. x 61"	20 lbs.	9" x 9" x 63"
AA11NC-75	75 ft. x 61"	58 lbs.	9" x 9" x 63"


\*Custom lengths can be available upon request\*



# Dry Erase Resurfacing Solutions Before and After



Dry Erase Resurfacing Solutions www.everwhiteboards.com 800-335-7319













# **Printed Dry Erase Resurfacing Material**

Everase's Printed Resurfacing Material features our ultra crisp, digitally printed graphics embedded under our high-quality dry erase writing surface. Various standard prints are available such as Music Staff, Penmanship Lines, Traceable Grid and Traceable Graph. We even have the capabilities to customize the writing surface with your own ideas and graphics. This printed product will have the same ease of use with excellent erasability and stain resistance as our signature Everase whiteboard surface. It easily installs directly over existing chalkboards or dry erase boards with a factory applied self- adhesive and can be trimmed to fit an existing frame. Instructions and a video make installation a breeze.

## **Specifications:**

- Heights: 50"Lengths: 100 ft.
- Custom Lengths available upon request
- Thickness: 8 mil
- Surface Finish: White High Gloss Dry Erase with print design
- · Adhesive: Aggressively removable pressure sensitive adhesive
- Release Liner: Siliconized paper



#### **Features & Benefits:**

- Easy, Do-It-Yourself Installation at 30 minutes per board
- Excellent Erasability & Durability
- Abrasion, Chemical, Heat, Scratch, Stain and Solvent Resistant
- Non-yellowing, non-chalking, non-ghosting product
- Digital print embedded under dry erase surface
- Cleans without the use of cleaners, just water and a cloth
- · Ships as a roll by FedEx/UPS Ground
- 10-year limited warranty
- · Manufactured in the USA

#### **Applications:**

- Classrooms
- Music, math and reading rooms
- Conference rooms and think tanks
- Collaborative environments
- And more!



#### **Printed Resurfacing Material (50 inch)**

Product Name	Item #	Size	Weight	Package Dimensions
Music Staff	AA12NA-100	100 ft. x 50"	61 lbs.	9" x 9" x 54"
Penmanship	AA13NA-100	100 ft. x 50"	61 lbs.	9" x 9" x 54"
Traceable Graph	AA14NA-100	100 ft. x 50"	61 lbs.	9" x 9" x 54"
Traceable Grid	AA15NA-100	100 ft. x 50"	61 lbs.	9" x 9" x 54"

\*Custom lengths can be available upon request\*





# **Printed Resurfacing Material**

## **Music Staff Lines**

- Music Lines 4 sets of music staves with
  - 1" space between lines
  - 4" between sets
  - (5 sets available upon request)

# **Penmanship Lines**


• Penmanship Lines - 4" wide writing space

#### **Traceable Grid**

• Traceable Grid - 2" space

# **Traceable Graph**

• Traceable Graph - 1" space



\*Custom printed designs are available\*

# **Commercial Erasable Wallcovering**

Everase's Commercial Erasable Wallcovering brings our one-of-a-kind dry erase surface to your conference rooms, training areas, or any are where people gather to collaborate. This wallcovering can be installed the same as any commercial-grade vinyl wallcovering. By adhering vertical strips/floor-to-ceiling, you can cover just one wall or an entire room. If preferred, you can "railroad" this material horizontally around the room. Transform any space into a creative hub with Commercial Erasable Wallcovering to promote limitless brainstorming and creativity in any setting!



# **Product Specifications:**

Width: 60"Length: 50 ft.

• Custom widths and lengths available upon request

• Surface Finish: White High Gloss Dry Erase

Backing: NonwovenThickness: 18.5 mil

# **Features & Benefits:**

- Compatible with interactive technology or used as projection screens.
- Covers wall-to-wall and floor-to-ceiling or any flexible wall customization
- Passes ASTM E-84 Flammability Test as Class A for flame spread and smoke generation
- Cost-effective when compared to paint and other wallcovering options
- Can easily be cut with scissors for very specific shapes and sizes

#### **Commercial Erasable Wallcovering**

Name	Item #	Size	Weight	Package Dimensions
White - High Gloss, Nonwoven	AA31ND-50	50 ft. x 60"	44 lbs.	9" x 9" x 63"

\*Custom lengths can be available upon request\*





# **Commercial Erasable Wallcovering**

# **Custom Printed Commercial Wallcovering**

Promote limitless brainstorming and imagination by transforming your space into a creative outlet with a Custom Printed Commercial Wallcovering! This wallcovering can be custom printed with high quality digital images and colors embedded under the dry erase surface for maximum protection. The material is installed the same as any commercial-grade vinyl wallcovering. By adhering vertical strips/-floor-to-ceiling, you can cover just on wall or an entire room. Panels can also be installed in a "railroad" pattern if you prefer the panels to be horizontal. Transform any wall into a creative hub or decorative space with a Custom Printed Commercial Wallcovering!

# **Product Specifications:**

• Width: 60'

• Length: Various custom lengths

• Custom widths and lengths available upon request

• Surface Finish: White High Gloss Dry Erase

Backing: NonwovenThickness: 18.5 mil

### **Features & Benefits:**


- Covers wall-to-wall and floor-to-ceiling or any flexible wall customization
- Vibrant, digital quality images and colors
- Digital print embedded under dry erase surface
- Passes ASTM E-84 Flammability Test as Class A for flame spread and smoke generation
- Compatible with interactive technology or used as projection screens
- Cost-effective when compared to paint and other wallcovering options



# Contact us for a quote!







Name	Item #	Size	Weight	Package Dimensions
ClearFilms - 3 mil Dry Erase with PSA, 150 ft. roll x 51" wide	CLER-0211-51	150 ft. x 51 in	27 lbs.	5" x 5" x 53"
ClearFilms - 3 mil Dry Erase with PSA, 50 ft. roll x 51" wide	CLER-0211-51	50 ft. x 51 in.	12 lbs.	5" x 5" x 53"
ClearFilms - 3 mil Dry Erase with PSA, 150 ft. roll x 61" wide	CLER-0211-61	150 ft. x 61 in.	32 lbs.	8" x 8" x 64"
ClearFilms - 3 mil Dry Erase with PSA, 50 ft. roll x 61" wide	CLER-0211-61	50 ft. x 61 in.	15 lbs.	8" x 8" x 64"

Use Everase Dry Erase ClearFilms to enhance, protect, or add value to your graphics. From printing to signage, posters, custom dry erase boards and more. This Dry Erase Overlay allows you to laminate, write, and erase on virtually any surface. Like our other Dry Erase Solutions, there is never any ghosting or staining. Everase uses a premium polyester laminate with optically clear PSA to protect an array of graphics and signage. This cutting edge formula has allowed us to engineer our clear Dry Erase product line, and now it's available to you to put on virtually any surface!

## **Features & Benefits:**

- Premium polyester overlaminate can be applied to various substrates using industry standard laminating equipment
- Optically clear pressure sensitive adhesive
- Dry erase technology is resistant to ghosting and staining
- Anti-Graffiti properties enables permanent marker to be erased easily
- Radiation cured hardcoat is chemical and scratch resistant

# **Product Specifications:**

- Width: 51" and 61"
- Lengths: 50 ft. and 150 ft.
- Custom Lengths available upon request
- Thickness: 3 mil (2 mil polyester, 1 mil adhesive)
- Surface Finish: Clear High Gloss Dry Erase polyester film
- Adhesive: Optically clear permanent acrylic pressure sensitive adhesive

## **Applications:**

- Signage
- Displays
- Point of purchase
- Printers
- Posters
- Fine art protection
- Custom Printed Dry Erase Boards:
- Hospital boards
- Planning schedules
- Maps
- Specials/menu boards
- Calendars
- Athletic Diagrams
- and more!

# TECHNICAL PERFORMANCE OF EVERASE® SURFACES

Our specifically engineered dry erase composite surface provides excellent printability and erasability in an impervious formulation. Everase offers the best quality features of scratch, chemical, stain, heat, and wear resistance and remains unsurpassed when compared and contrasted with our competition.


FEATURES	PROPERTY	RESULT
WRITEABILITY	Use of any dry erase, fluorescent, semi-permanent, and permanent markers and crayons will not damage the Everase surface.	Better than comparable products
ERASABILITY	Dry erasability using Boone 30 day test method	5 lbs/3 rubs or better with all tested dry erase markers*
LKAJADILITI	Gloss at 60 degrees using BYK Gardner / Micro-TRI-Gloss Test Method	100%
VISIBILITY	Excellent contrast compared to chalkboards. Allows for multi-color presentations	Excellent
	Excellent marker pen printability and erasability	
	Non-ghosting, non-yellowing product	Better than
PRINTABILITY	Both permanent and dry erase markers can be used for permanent and temporary information but then cleaned easily	comparable products
DUDABILITY	Scratch resistance using Hoffman Scratch Test	700
DURABILITY	Hardness - Pencil using ASTM D3363-74	7H
WEARABILITY	Abrasion resistance using Taber Abrasion / 500 g - CS-10 Wheel	500 cycles
WEARABILITY	Wear resistance using BYK Gardner Sled	5000 cycles
STAIN RESISTANCE	NEMA LD3-2000 3-4 Stain Resistance Report	Coffee, Tea, Mustard, Black permanent marker, #2 Pencil, Wax Crayon, Lipstick: 0 (No effect)
CHEMICAL RESISTANCE	ASTM D-1308 Method B-24 Report	Glass Cleaner - No stain Rubbing alcohol - No stain MEK (Methyl Ethyl Ketone) - No stain

These lab results are provided as a service only. All products are sold upon condition that the purchaser shall make their own tests and judgments. No warranty of merchantability or fitness for any purpose is implied by these test results, neither does this constitute the seller's product specifications. Everase® is a Registered Trademark. \* Test Method and Results are available upon request.

# **EverEZ Resurfacing Panels**

- Transforms any old chalkboard or stained whiteboard into a new whiteboard in minutes
- Fast and easy installation
- Factory applied self-adhesive
- Lifetime guaranteed non-staining surface
- Permanent marker resistant
- Magnetic
- Contact us for custom graphic panels (logos, calendars, etc.) or for standard print graphic panels (music staffs, gridlines, penmanship lines and charts shown below)





All panels larger than 4'x12' are manufactured as multiple pieces of equal size with an H-channel seam (shown right) in the middle, unless otherwise specified.







**EverEZ Magnetic Resurfacing Panel** (L1000)

### Size (HxW)

1' x 1'

1.5' x 2'

2' x 2'

2' x 3'

2' x 4'

3' x 4'

4' x 4'

4' x 5'

4' x 6'

4' x 8'

4' x 10'

4' x 12'

4' x 16'

4' x 20'

4' x 24'



Use this form to determine the perfect measurements for your EverWhite Resurfacing Panel.

All boards 4' x 12' or smaller ship as one piece. All boards over 4' x 12' will ship as multiple pieces of equal size, unless otherwise indicated.

**Measurement Instructions:** Measuring within the existing frame, take three vertical measurements and three horizontal measurements as shown in diagrams A and B below. Subtract 1/16" from the smallest vertical dimension and subtract 1/8" from the smallest horizontal dimension.

#### **Measuring Tips:**

- 1. Always use two people when taking measurements.
- 2. Always measure twice.
- 3. When measuring boards with map rails, if you do not plan to remove the map rail for installation, measure from the bottom of the board to the bottom lip of the map rail. If you do plan to remove the map rail for installation, measure from the bottom of the board to the upper lip of the map rail.

#### Single Piece Board (contains no seams)

<u>Vertical Measurement :</u> Diagram A	<u>Horizontal Measurement:</u> Diagram B
↑ ↑ ↑ A B C ↓ ↓ ↓	← D → E → F →
Measurement "A"	Measurement "D"
Measurement "B"	Measurement "E"
Measurement "C"	Measurement "F"
Shortest Measurement of A, B, & C:	Shortest Measurement of D, E, & F:
Less 1/16" =	Less 1/8" =
<ul> <li>Check box if your board consists of mult</li> <li>If your board has a non-removable sear vertical and horizontal adjustments indiforms.</li> <li>If your board has a seam cover/channel</li> </ul>	tiple pieces (separated by a seam or channel).  m cover/channel, measure each section separately making the licated in the form above. You may need multiple measurement that you will be removing prior to installation of your new panels tensions of the entire board), making the vertical and horizontal e.
·	

### **Aluminum Framed Whiteboards**

- Best erasability of any whiteboard, easiest to clean and surface stays bright and white
- Lifetime guaranteed non-staining, non-porous surface
- Permanent marker resistant
   Magnetic or Non-Magnetic options available
- 5/8" narrow aluminum frame (1-1/8" wide available upon request)
- Aluminum marker tray with no-snag end caps option available at no extra cost
- Whiteboard thickness is 1/2"
- Includes all mounting hardware; easy to install



All boards larger than 4'x12' are manufactured as multiple pieces of equal size with an H-channel seam (shown left) in the middle, unless otherwise specified.



#### Aluminum Framed Magnetic Whiteboard

# Size (HxW)

1' x 1'

1.5′ x 2′

2' x 2'

2' x 3'

2 X S

2' x 4'

3' x 4'

4' x 3'

4' x 4'

4' x 5'

4' x 6'

4' x 8'

4' x 10'

4' x 12'

4' x 16'

4' x 20'

4' x 24'

Aluminum Framed Non-Magnetic Whiteboard

#### Size (HxW)

1' x 1'

1.5' x 2'

2' x 2'

2' x 3'

2' x 4'

3' x 4'


4' x 3'

4' x 4'

4' x 5'

4' x 6'

4' x 8'



# **Wide Wood Framed Whiteboards**

- Lifetime guaranteed non-staining surface
- Permanent marker resistant
- Magnetic or Non-Magnetic options available
- 1-7/8" wide solid wood frame with matching marker tray
- Whiteboard thickness is 1/2"
- Includes all mounting hardware; easy to install





wide Mahog.

Wide Black Frame

Oak/Maple/Black/ Cherry/Mahogany Framed Magnetic Whiteboards

Size (HxW)
1' x 1'
1.5' x 2'
2' x 2'
2' x 3'
2' x 4'
3' x 4'
4' x 4'
4' x 5'
4' x 6'
4' x 8'
4' x 10'
4' x 12'
4' x 16'
4' x 20'


Oak/Maple/Black/ Cherry/Mahogany Framed Non-Magnetic Whiteboards

Size (HxW)
1' x 1'
1.5' x 2'
2' x 2'
2' x 3'
2' x 4'
3' x 4'
4' x 4'
4' x 5'
4' x 6'
4' x 8'

# **Narrow Wood Framed Whiteboards**

- Lifetime guaranteed non-staining surface
- Permanent marker resistant
- Magnetic or Non-Magnetic options available
- 1-1/4" wide solid wood frame with matching marker tray
- Whiteboard thickness is 1/2"
- Includes all mounting hardware; easy to install





# **ULTImatte 5-Foot Tall Matte Projection Whiteboards**

- Low-glare surface is ideal for use as a projection whiteboard
- 5-foot height gives 20% more space than standard 4-foot high whiteboards
- Lifetime guaranteed non-staining, non-porous surface
- Permanent marker resistant
- Magnetic
- 5/8" narrow aluminum frame (1-1/8" wide available upon request)
- Aluminum marker tray with no-snag end caps option available at no extra cost
- Whiteboard thickness is 1/2"
- Includes all mounting hardware; easy to install





All boards larger than 5'x12' are manufactured as multiple pieces of equal size with an H-channel seam (shown below) in the middle, unless otherwise specified.



**ULTImatte Projection** Whiteboards (M7600)

Size (HxW)

5' x 6'

5' x 8'

5' x 10'

5' x 12'




# **Plain Mobile Whiteboards**

- Best erasability of any whiteboard, easiest to clean and surface stays bright and white
- Lifetime guaranteed non-staining, non-porous surface
- Permanent marker resistant
- Magnetic on both sides
- Aluminum frame with full-width, double sided marker tray
- Locking mechanisms allow board to be positioned securely at any angle
- Casters are 3" in diameter and 13/16" wide, with a non-marking rubber tread












Mobile Plain
Double-Sided Whiteboard
(L7M00)





Non-marking casters

#### **Printed Mobile Whiteboards**

- Best erasability of any whiteboard, easiest to clean and surface stays bright and white
- Lifetime guaranteed non-staining, non-porous surface
- · Permanent marker resistant
- Magnetic on both sides
- Aluminum frame with full-width, double sided marker tray
- Locking mechanisms allow board to be positioned securely at any angle
- Casters are 3" in diameter and 13/16" wide, with a non-marking rubber tread







Mobile Standard Print
Double-Sided (Graphic/Graphic)
Whiteboard

# 36" x 24" 36" x 48"

40" x 29"

48" x 72" 48" x 96"

# Mobile Standard Print Double-Sided (Graphic/White) Whiteboard

# Size (HxW)

36" x 24"


36" x 48"

40" x 29"

48" x 72"

48" x 96"







L7MG25



# **Education Printed Whiteboards**

- Graphics are embedded under the easy to clean dry erase surface that stays bright and white
- Lifetime guaranteed non-staining, non-porous surface
- · Permanent marker resistant
- Magnetic or Non-Magnetic options available
- 5/8" narrow aluminum frame (1-1/8" wide available upon request)
- Aluminum marker tray with no-snag end caps option available at no extra cost
- Whiteboard thickness is 1/2"
- Includes all mounting hardware; easy to install




#### **Graphic Options**

Music Staff **Grid Lines** Penmanship Lines Coordinates Coordinates Lines Magnetic (L76G1) Magnetic (L76G5) Non-Magnetic (N76G1) Non-Magnetic (N76G5)

4' x 8'

**Graphic Configurations** 




Grid Lines, Rectangular Coordinates and Polar Coordinates printed whiteboards start at size 4' x 4'


# **Magnetic Education Non-Magnetic Education Printed Whiteboard Printed Whiteboard**

Size (HxW)		Size (HxW
1′ x 1′	•	1′ x 1′
1.5′ x 2′		1.5′ x 2′
2' x 2'		2' x 2'
2' x 3'		2' x 3'
2' x 4'		2' x 4'
3' x 4'		3' x 4'
4' x 4'		4' x 4'
4' x 5'		4' x 5'
4' x 6'		4' x 6'









Please contact us for custom sizes or for discounted pricing on large quantities.

4' x 8'

4' x 10'


4' x 12'

4' x 16'


4' x 20'

# **EZGrid Ghost Whiteboards**

- Graphics are embedded under the easy to clean dry erase surface that stays bright and white
- Lifetime guaranteed non-staining, non-porous surface
- · Permanent marker resistant
- Magnetic or Non-Magnetic options available
- 5/8" narrow aluminum frame (1-1/8" wide available upon request)
- Aluminum marker tray with no-snag end caps option available at no extra cost
- Whiteboard thickness is 1/2"
- Includes all mounting hardware; easy to install







1" Ghost Dots

EZGrid Ghost Magnetic Whiteboard or Mobile Whiteboard

Size (HxW)

2' x 3'

3' x 4'

4' x 4'

4' x 6'

4' x 8'

4' x 10'

4' x 12'

EZGrid Ghost Non-Magnetic Whiteboard or Mobile Whiteboard

Size (HxW)

2' x 3'

3' x 4'

4' x 4'

4' x 6'

4' x 8'

4 7 0

Please contact us for custom sizes or for discounted pricing on large quantities.

17PG15

17PG13

<sup>\*</sup>See page 19 for pricing and more information on Ghost Grid Mobile Boards

# **Calendar Whiteboards**

- Graphics are embedded under the easy to clean dry erase surface that stays bright and white
- Lifetime guaranteed non-staining, non-porous surface
- Permanent marker resistant
- Magnetic or Non-Magnetic options available
- 5/8" narrow aluminum frame (1-1/8" wide available upon request)
- Aluminum marker tray with no-snag end caps option available at no extra cost
- Whiteboard thickness is 1/2"
- Includes all mounting hardware; easy to install
- Available colors are Black and White, Gray, Beige and Blue
- Month and date magnet accessories are available as an additional purchase (shown right)

1-Month and 2-Month Calendar Magnetic/Non-Magnetic Whiteboard



2' x 3'

3' x 4'

4' x 6'

3-Month Calendar Magnetic/Non-Magnetic Whiteboard

#### Size (HxW)

3' x 4'

4' x 6'

4' x 8'

4-Month Calendar Magnetic/Non-Magnetic Whiteboard

#### Size (HxW)

3' x 4'

4' x 4'

4' x 6'

4' x 8'

6-Month and 12-Month Calendar Magnetic/Non-Magnetic Whiteboard

#### Size (HxW)

4' x 6'

4' x 8'







#### **Available Colors**



Black and White



Beige







Blue

# **Coaching Whiteboards**


- Graphics are embedded under the easy to clean dry erase surface that stays bright and white
- Lifetime guaranteed non-staining, non-porous surface
- Permanent marker resistant
- Magnetic or Non-Magnetic options available
- 5/8" narrow aluminum frame (1-1/8" wide available upon request)
- Aluminum marker tray with no-snag end caps option available at no extra cost
- Whiteboard thickness is 1/2"
- Includes all mounting hardware; easy to install




**Basketball Courts** Magnetic (L76G22) Non-Magnetic (N76G27)




Hockey Rinks Magnetic (L76G23) Non-Magnetic (N76G28)



Football Fields Magnetic (L76G24) Non-Magnetic (N76G29)



Soccer Fields Magnetic (L76G25) Non-Magnetic (N76G30)



Volleyball Courts Magnetic (L76G26) Non-Magnetic (N76G31)




# **Coaching Magnetic/ Non-Magnetic Whiteboard**

Size (HxW)

3' x 4'

4' x 6'



\*See page 19 for pricing and more information on Mobile Coaching Boards

# **Custom Printed Whiteboards**

- Custom print your Whiteboard, Mobile Board, Resurfacing Panel or Magnetic Overlay
- Graphics are embedded under the easy to clean dry erase surface that stays bright and white
- Lifetime guaranteed non-staining, non-porous surface
- Permanent marker resistant
- Fully customizable to your needs
- Design yourself or let our graphics team work with you!

# ANY IDEA ANY DESIGN ANY WORDING WE CAN DO THAT!

#### Why Custom Print a Whiteboard?

- Heighten efficiency and organization
- Increase visibility of important information
- Present an eye-catching visual display

Customization is our specialty! EVERWhite offers many standard and custom framing options, and we're happy to work with you on customizing your dry erase surface to achieve the look you desire.

The possibilities for EVERWhite's custom printed whiteboards are endless. Examples of common applications include:

#### **Manufacturing and Production**

- Scheduling
- Quality Control
- Production
- Materials/Inventory
- Lean Manufacturing
- Safety

#### **Healthcare**

- Patient Charts
- Operating Rooms
- Nurses' Stations
- Care Facilities

#### Corporate

- Brand Identity
- Calendars
- Sales Goals
- Project Management

#### **Restaurants/Bars and Hospitality**

- Daily Specials or Menus
- Events

Staffing

• Brand Identity











# **Custom Printed Gallery**

















#### **GRAPHIC READY FOR PRINT**

#### \$75.00 per design

I have a completed design for my whiteboard and have a high-quality graphic file sized correctly.

#### **DESIGN PARTIALLY COMPLETED**

#### \$125.00 per design

I have high-quality graphic elements but need help creating the final design.

#### **DESIGN IDEA OR SKETCH ONLY**

#### \$185.00 per design

I have a sketch or drawing of my graphic idea but need help in creating a custom design.

# **Custom Printed Whiteboards**

**Custom Print** Aluminum Framed Aluminum Framed Magnetic **Whiteboard** 

**Custom Print Non-Magnetic** Whiteboard

Size (HxW)

1' x 1'

1.5' x 2'

2' x 2'

2' x 3'

2' x 4'

3' x 4'

4' x 4'

4' x 5' 4' x 6'

4' x 8'

#### Size (HxW)

1' x 1'

1.5' x 2'

2' x 2' 2' x 3'

2' x 4'

3' x 4' 4' x 4'

4' x 5'

4' x 6'

4' x 8'

4' x 10' 4' x 12'

4' x 16'

4' x 20'

**Mobile Custom Print Double-Sided** (Graphic/White) Whiteboard -

**Double-Sided Graphics** Available Upon Request

#### Size (HxW)

36" x 24"

36" x 48"

40" x 29"

48" x 72"

48" x 96"







#### **Custom Print Magnetic Resurfacing Panel**

#### Size (HxW)

1' x 1'

1.5' x 2'

2' x 2'

2' x 3'

2' x 4'

3' x 4'

4' x 4'

4' x 5'

4' x 6'

4' x 8'


4' x 10'

4' x 12'

4' x 16'

4' x 20'

4' x 24'







#### **Artwork Fees**

GRAPHIC READY FOR PRINT	DESIGN PARTIALLY COMPLETED	DESIGN IDEA OR SKETCH ONLY
\$75.00 per design	\$125.00 per design	\$185.00 per design
I have a completed design for my whiteboard and have a high-quality graphic file sized correctly.	I have high-quality graphic elements but need help creating the final design.	I have a sketch or drawing of my graphic idea but need help in creating a custom design.

# **Custom Printed Magnetic Overlays**

- Graphics are embedded under the easy to clean dry erase surface that stays bright and white
- Lifetime guaranteed non-staining surface
- Permanent marker resistant
- For use with magnetic dry erase surfaces
- Overall thickness of 0.30"
- Ships rolled up in a tube

Please note, sizes 12" x 24" through 24" x 72" are for wall-mounted boards. Sizes 45.75" x 24" through 45.75" x 96" are for mobile whiteboards.

# **Custom Printed Magnetic Overlay**

#### Size (HxW)

12" x 24"

18" x 24"

24" x 12"

24" x 24"

24" x 36"

24" x 48"

24" x 60"

24" x 72"

45.75" x 24"


45.75" x 45.75"


45.75" x 48"

45.75" x 60"

45.75" x 72"

45.75" x 96"





#### **Artwork Fees**

GRAPHIC READY FOR PRINT	DESIGN PARTIALLY COMPLETED	DESIGN IDEA OR SKETCH ONLY
\$75.00 per design	\$125.00 per design	\$185.00 per design
I have a completed design for my whiteboard and have a high-quality graphic file sized correctly.	I have high-quality graphic elements but need help creating the final design.	I have a sketch or drawing of my graphic idea but need help in creating a custom design.

# **Re-Stic Removable**

# Re-Stic Dry Erase Surfaces Our Re-Stic Dry Erase Surface is perfect for use on any wall,

Our Re-Stic Dry Erase Surface is perfect for use on any wall, door, desk or table - the applications are endless! This flexible whiteboard can easily be cut to fit the surface of your choice, equipping you with the ability to brainstorm anywhere, anytime. Instantly peel and stick to your desired surface. Our specially formulated self stick adhesive technology is repositionable and always removable, making it safe for walls with no stick residue left behind. Everase's Re-Stic line offers the same proven proprietary dry erase technology and superior writing surface as our dry erase products that have been used in schools across the USA. Make Re-Stic your Dry Erase Solution.

# **Features & Benefits:**

- Brainstorm, collaborate and communicate! Perfect for any wall, door or desk
- No tools required just peel and stick
- Removable and repositionable. No sticky residue left behind!
- Can be cut to any size

# **Applications:**

- Home
- Office
- School
- Hospitality
- Point of Purchase
- And more!



#### **Plain White**

Name	Item #	Size	Weight	Package Dimensions
Re-Stic Dry Erase Surface - White, 1 x 1.5 ft.	FA11NE-12x18	1 x 1.5 ft.	0.69 lbs	18.5" x 0.25" x 14.25"
Re-Stic Dry Erase Surface - White, 2 x 3 ft.	FA11NE-24x36	2 x 3 ft.	0.94 lbs	25.5" x 3.25" x 3.25"
Re-Stic Dry Erase Surface - White, 3 x 4 ft.	FA11NE-36x48	3 x 4 ft.	1.69 lbs	37.5" x 3.25" x 3.25"
Re-Stic Dry Erase Surface - White, 4 x 6 ft.	FA11NE-48x72	4 x 6 ft.	3.65 lbs.	52.5" x 4.25" x 4.25"
Re-Stic Dry Erase Surface - White, 4 x 8 ft.	FA11NE-48x96	4 x 8 ft.	4.12 lbs	52.5" x 4.25" x 4.25"

#### **Plain White Dry Erase Sheets**

Name	Item #	Size	Weight	Package Dimensions
Re-Stic Dry Erase Surface - Dry Erase Sheets, 6 x 8 in. (15 Sheets)	FA11NE-6x8-15	6 x 8	0.50 lbs	9" x 0.25" x 7"
Re-Stic Dry Erase Surface - Dry Erase Sheets, 9 x 12 in. (15 Sheets)	FA11NE-9x12-15	9 x 12	1.25 lbs	13.5" x 0.25" x11"
Re-Stic Dry Erase Surface - Dry Erase Sheets, 12 x 18 in. (15 Sheets)	FA11NE-12x18-15	12 x 18	2.25 lbs	18.5" x 0.25" x 14.25"

Get the chalkboard look without the mess of any chalk dust! Great with fluorescent/ neon/wet erase markers and can be removed with minimal effort and no stains or ghosting left behind - guaranteed!



#### **Plain Black**


Name	Item #	Size	Weight	Package Dimensions
Re-Stic Dry Erase Surface - Black, 1 x 1.5 ft.	FC111NE-12x18	1 x 1.5 ft.	0.69 lbs	18.5" x 0.25" x 14.25"
Re-Stic Dry Erase Surface - Black, 2 x 3 ft.	FC111NE-24x36	2 x 3 ft.	0.94 lbs	25.5" x 3.25" x 3.25"
Re-Stic Dry Erase Surface - Black, 3 x 4 ft.	FC111NE-36x48	3 x 4 ft.	1.69 lbs	37.5" x 3.25" x 3.25"


\*Custom sizes are available upon request\*

# GREAT FOR DESKS!



# DOORS!





# WALLS!



AND MORE!

# **Re-Stic Removable**

Re-Stic offers various calendars, planners and framed board designs. Use monthly calendars to plan out each month and weekly planners to schedule every week. Planners are available in white and black dry erase designs. The black dry erase goes great with white chalk and fluorescent markers to create vibrant eye catching writing. We also carry different wood frame designs for the more traditional framed board look at a much lower price!

# **Applications:**

- Walls
- Desks
- Doors
- Refrigerators
- and More!

### **Features & Benefits:**

- Vibrant, digital quality images and colors
- Digital print embedded under dry erase surface
- Stay organized by keeping track of your monthly and weekly schedules
- No tools required just peel and stick
- Removable and repositionable. No sticky residue left behind!
- FREE Marker and cloth included!



Name	Item #	Size	Weight	Package Dimensions
Monthly Calendar, 2 x 3 ft	FA12NB-24x36	2 x 3 ft.	1.07 lbs.	25.5" x 3.25" x 3.25"
Weekly Planner, 12 x 18 in.	FA13NB-12x18	12 x 18 in.	0.69 lbs.	18.5" x 0.25" x 14.25"
Oak Faux Frame, 2 x 3 ft.	FA14NB-24x36	2 x 3 ft.	1.07 lbs.	25.5" x 3.25" x 3.25"
Walnut Faux Frame, 2 x 3 ft.	FA15NB-24x36	2 x 3 ft.	1.07 lbs.	25.5" x 3.25" x 3.25"
Mahogany Faux Frame, 2 x 3 ft.	FA16NB-24x36	2 x 3 ft.	1.07 lbs.	25.5" x 3.25" x 3.25"
Monthly Planner, 12 x 16 in.	FA17NB-12x16	12 x 16 in.	0.69 lbs.	18.5" x 0.25" x 14.25"
Blackboard Monthly Planner, 12 x 16 in	FA18NB-12x16	12 x 16 in.	0.69 lbs.	18.5" x 0.25" x 14.25"
Meal Planner, 12 x 16 in.	FA19NB-12x16	12 x 16 in.	0.69 lbs.	18.5" x 0.25" x 14.25"
Blackboard Meal Planner, 12 x 16 in.	FA110NB-12x16	12 x 16 in.	0.69 lbs.	18.5" x 0.25" x 14.25"
Annual Calendar, 3 x 4 ft.	FC112NB-36x48	3 x 4 ft.	1.60 lbs.	37.5" x 3.25" x 3.25"
4 Month Planner, 2 x 3 ft.	FC113NB-24x36	2 x 3 ft.	1.07 lbs.	25.5" x 3.25" x 3.25"
Babysitter Planner, 12 x 16 in.	FC114NB-12x16	12 x 16 in.	0.69 lbs.	18.5" x 0.25" x 14.25"
Sticky Notes, 12 x 18 in.	FC115NB-12x18	12 x 18 in.	0.69 lbs.	18.5" x 0.25" x 14.25"
Speech Bubbles, 12 x 18 in.	FC116NB-12x18	12 x 18 in.	0.69 lbs.	18.5" x 0.25" x 14.25"
Thought Bubbles, 12 x 18 in.	FC117NB-12x18	12 x 18 in.	0.69 lbs.	18.5" x 0.25" x 14.25"
Clipboard, 9 x 12 in.	FC118NB-9x12	9 x 12 in.	0.40 lbs.	13.5" x 0.25" x 11"
Notepad, 9 x 12 in.	FC119NB-9x12	9 x 12 in.	0.40 lbs.	13.5" x 0.25" x 11"


# **Re-Stic Printed Organizers**

# **Re-Stic Removable**





FA13NB-12x18: Weekly Planner



FA14NB-24x36: Oak FA15NB-24x36: Walnut



FA17NB-12x16: Monthly Planner



FA18NB-12x16: Blackboard Monthly Planner



FA19NB-12x16: Meal Planner




FA110NB-12x16: Blackboard Meal Planner



FC112NB-36x48: Annual Calendar



FC113NB-24x36: 4 Month Planner



FC114NB-12x16 Babysitter Planner



Sticky Notes



Speech Bubbles



FC118NB-9x12: Clipboard



FC119NB-9x12: Notepad

# 1 Eraser Cloth 1 Dry Erase Marker w/ Eraser tip, maanet & hanaina clip

Standard Dry Erase Products Include: Blackboard Dry Erase Products Include 1 Eraser Cloth 1 Liquid Chalk Marker w/ hanaina clip



FC117NB-12x18: Thought Bubbles

# PEEL STICK WRITE ERASE REMOVE

# **Custom Printed Re-Stic**

Custom Printed Re-Stic Dry Erase Surfaces are perfect for use on any wall, door, desk or table - the applications are endless! EVERWhite can print custom Re-Stic Dry Erase sheets with logos, graphics, and designs of your choice, from team mascots to family photos. If you can imagine it, we can create it!

#### **Re-Stic Custom Printed**


Item #	Size
FA10NB-C	9 x 12 in.
FA10NB-C	11 x 17 in.
FA10NB-C	18 x 24 in.
FA10NB-C	2 x 2 ft.
FA10NB-C	2 x 3 ft.
FA10NB-C	3 x 3 ft.
FA10NB-C	3 x 4 ft.
FA10NB-C	3 x 5 ft.
FA10NB-C	4 x 4 ft.
FA10NB-C	4 x 5 ft.
FA10NB-C	4 x 6 ft.
FA10NB-C	4 x 7 ft.
FA10NB-C	4 x 8 ft.

# **Specifications:**

- Custom printed design to suit your needs. Artwork fees apply.
- Various standard sizes: 9"x12", 11"x17", 18"x24", 2'x2', 2'x3', 3'x4', 3'x3', 3'x4', 3'x5', 4'x4', 4'x5', 4'x6', 4'x7', and 4'x8'.
- Custom sizes available! Ask for a quote.


#### Features & Benefits:

- Vibrant, digital quality images and colors of your choiceCustom digital print embedded under dry erase surface
- No tools required just peel and stick
- Removable and repositionable. No sticky residue left behind!
- Doesn't damage walls or furniture












<sup>\*</sup>Artwork fees start at \$35.00 minimum per design for Re-Stics under 4 x 4 ft. and \$75.00 minimum per design for Re-Stics 4 x 4 ft. and larger\*

#### **Custom Printed Re-Stic**

#### **Custom Printed Re-Stic**









West Des Moines BioLife Aurora Repair					
Serial Number	Date Removed	Reason OO5	Repairs Needed	Status of Machine	Expected Completion
				3	
				3	
				3	



EVERWhite is here to help your restaurant, diner, or bar adapt to the many changes needed to provide your customers with the safest environment possible. Our Re-Stic product can be customized to any size needed with your desired graphics. Easily integrate the QR code to your website so that customers can easily access your full menu without spreading viruses and that can be easily updated to reflect daily specials or other changes to your menu. Plus, our dry erase surface is scratch and chemical resistant, perfect for environments that need to be sanitized on a regular basis!

#### **Custom Printed QR Code Stickers**

Item #	Size
FA10NB-C	4 x 4 in.
FA10NB-C	4 x 4 in.

\*Artwork fees start at \$75.00 minimum per design\*







# **Aluminum Framed Cork Bulletin Boards**

- High-density cork offers a durable, stain-resistant surface that will not crack or peel
- Crumble-resistant, self-healing cork that won't show pinholes
- Tacks can be inserted easily and are gripped firmly
- Available in 15 colors
- 5/8" narrow aluminum frame (1-1/8" wide available upon request)
- Cork board thickness is 1/2"
- Includes all mounting hardware; easy to install



**Aluminum Framed Cork Bulletin Board (T7600)** 

## Size (HxW)

1' x 1'

1.5' x 2'

2' x 2'

2' x 3'

2' x 4'

3' x 4'

4' x 4'

4' x 5'

4' x 6'

4' x 8'

4' x 10'

4' x 12'


4' x 16'

4' x 20'

4' x 24'







## **Wood Framed Cork Bulletin Boards**

- High-density cork offers a durable, stain-resistant surface that will not crack or peel
- Crumble-resistant, self-healing cork that won't show pinholes
- Tacks can be inserted easily and are gripped firmly
- Available in 15 colors
- 1-1/4" narrow or 1-7/8" wide solid wood frame









Oak/Maple/Cherry/Mahogany/Black Narrow Framed Cork Bulletin Board

# Size (HxW) 1' x 1' 1.5' x 2'

2' x 2'

2' x 3' 2' x 4'

3' x 4'

4' x 4' 4' x 5'

4' x 6'



Narrow Oak Frame



Narrow Maple Frame

Wide Oak Frame

Wide Maple Frame



Narrow Cherry Frame



Narrow Mahogany Frame



Narrow Black Frame

## Oak/Maple/Cherry/Mahogany/Black Wide Framed Cork Bulletin Board

### Size (HxW)

1' x 1'

1.5' x 2'

2' x 2'

2' x 3'

2' x 4'

3' x 4' 4' x 4'

4' x 5'

4' x 6'

4' x 8'

4' x 10'

4' x 12'

4' x 16'

4' x 20'

4' x 24'



Wide Cherry Frame



Wide Mahogany



Wide Black Frame

## **Aluminum Combination Dry Erase and Cork Boards - Magnetic and Non-Magnetic**

- Combination of lifetime guaranteed, non-staining dry erase surface and self-healing, high-density cork
- Four (4) combination styles to choose from
- Magnetic or Non-Magnetic options available
- Cork is available in 15 colors
- 5/8" narrow aluminum frame (1-1/8" Wide available upon request)
- Board thickness is 1/2"
- Includes all mounting hardware; easy to install



## **Aluminum Framed Combo Board Style A and C**

# Size (HxW)

4' x 4'

4' x 6'

4' x 8'

4' x 10'

4' x 12'





# **Aluminum Framed Combo Board Style B and D**

# Size (HxW)

4' x 8'

4' x 10'

4' x 12'

4' x 16'





# Wood Combination Dry Erase and Cork Boards - Magnetic and Non-Magnetic

- 1-1/4" narrow or 1-7/8" wide solid wood frame options also available
- Crumble-resistant, self-healing cork that won't show pinholes
- Tacks can be inserted easily and are gripped firmly in cork
- Lifetime guaranteed, non-staining dry erase surface
- Optional marker tray

A	Channal	Chili Dangan	Ciananan	Clay
Autumn	Charcoal	Chili Pepper	Cinnamon	Clay
Cobalt Blue	Fog	Grass	Natural	Sand
Slate	Stone	Timber Wolf	Wheat	White Stone



Size (HxW)	Size (HxW)
4' x 4'	4' x 4'
4' x 6'	4' x 6'
4' x 8'	4' x 8'
4' x 10'	4' x 10'
4' x 12'	4' x 12'
4' x 16'	4' x 16'



			Sia	ite	Stone
Aluminum Framed Non-Magnetic Combo Board Style A			ıminum F Magneti Board Style	c Combo	
	Size (HxW)			Size (Hx	(W)
	4' x 4'			4' x 4	,
	4' x 6'			4' x 6	,
	4' x 8'			4′ x 8	,

4' x 10' 4' x 12'









### **Wood Finish Options**













Narrow frames are only available up to a 4' x 6' Board

# **Accessories**

### **Accessory Kits**

Item #	Description
Starterkit	1 microfiber EVERCloth, 4 markers
Prokit	1 microfiber EVERCloth 4 markers, 4 buttons

### **Whiteboard Accessories**

Item #	Description
EVERCloth	A microfiber cloth eraser
EVERCloth6pk	6 microfiber cloth erasers
EVERCloth12pk	12 microfiber cloth erasers
DC	8 oz. Whiteboard cleaner
DC-CS	Case of 9 8 oz. Whiteboard cleaner
EVERmarkerset	4 low-odor dry erase markers
Magnetclip	2 clip magnets with rubber grip
Magnetbutton	5 button magnets
Endcapv2	2 plastic caps for exposed ends of aluminum marker trays
Tray Connector Grey	A plastic connector for two-piece marker trays
Seamstrip4ft	A 4' x 1/2" wide self-adhesive dry erase seam strip
H-Channel4ft	A 4' x 1/2" wide H-channel that connects two sections of board
Maprail-4	A 4' x 1" map and display rail for top mount 1/2" boards
Exhibitrail-4	A 4' cork exhibit rail for wall hanging boards
Maprail-6	A 6' x 1" map and display rail for top mount 1/2" boards
Exhibitrail-6	A 6' cork exhibit rail for wall hanging boards
Maprail-8	A 8' x 1" map and display rail for top mount 1/2" boards
Exhibitrail-8	A 8' cork exhibit rail for wall hanging boards
Maprail-10	A 10' x 1" map and display rail for top mount 1/2" boards
Maprail-12	A 12' x 1" map and display rail for top mount 1/2" boards
Maprail-flag	Flag holder for 1" map rails For flags with 1/2" diameter
Mapwinder	2 map winders for 1" map rails
Maprail-hook	2 combination hook & clip for 1" map rails
<u> </u>	•



### **Mounting Hardware**

Name	Item #	Description
6-Pack	mountkit6	Set of mounting hardware for boards 8' wide or narrower
8-Pack	mountkit8	Set of mounting hardware for boards 10' wide or wider

### **Month Magnet Set for Calendar Whiteboard**

Name	Item #	Description
1-Month Set	CSMD1L	Set of magnets with months & dates. For 2'×3', 3'×4' & 4'×6'
2-Month Set	CSMD2S	Set of magnets with months & dates. For 2'×3' only
2-Month Set	CSMD2L	Set of magnets with months & dates. For 3'×4' & 4'×6' only
3-Month Set	CSMD3L	Set of magnets with months & dates. For 4'×4', 4'×6' & 4'×8'
4-Month Set	CSMD4L	Set of magnets with months & dates For 3'×4', 4'×4', 4'×6' & 4'x8'
6-Month Set	CSMD6L	Set of magnets with months & dates. For 4'×6' & 4'x8'
12-Month Set	CSMD12S	Set of magnets with months & dates. For 4'×6' only
12-Month Set	CSMD12L	Set of magnets with months & dates. For 4'×8' only

## **Testimonials**

"The quality of the board is phenomenal." — Jessika Kasten. **Director of Marketing.** Wisconsin Alumni Association

> "We tried three different brands of dry erase boards and found the EVERWhite boards to be far superior to the others." — Darryl De Ruiter, **Principal, Pella Christian High School**

"Our EVERWhite dry erase board has truly added to the educational experience the students in my room have every day!"

— Cory Greene, Teacher, Folger McKinsey Elementary

"Other boards might cost less initially, but in the long run, **EVERWhite boards are, by far,** less costly." — David Staerkel, Facilities Manager, University of

Wisconsin

"The best dry erase board we have tried."

- Bryan Hunter, **Maintenance** Supervisor, **Lawrence Public** Schools

"The quality of EVERWhite boards is first rate and only outdone by their customer service." - Thomas Moore. **Assistant Director, Indiana University Southeast** 

" I always knew when ordering from **EVERWhite that the quality was there,** especially since EVERWhite offers a lifetime stain-free quarantee." — John Beil, Director of Facilities.

**Belleville Intermediate School** 

## Need Installation Services?

Professional turnkey installation services available in selected areas.

Contact us for more information and to receive a quote!













### SECTION 10100 VISUAL DISPLAY BOARDS

Display hidden notes to specifier. (Don't know how? Click Here)

#### PART 1 GENERAL

#### 1.1 SECTION INCLUDES

- A. Visual Display Boards.
- B. Bulletin Boards.
- C. Display Board Accessories.

#### 1.2 RELATED SECTIONS

- A. Section 06100 Rough Carpentry: Wall Framing and Blocking.
- B. Section 05100 Structural Metal Framing: Wall Framing and Blocking.
- C. Section 09200 Plaster and Gypsum Board: Wall finishes prepared to receive boards.

#### 1.3 REFERENCES

A. ASTM E 84 - Standard Test Method for Surface Burning Characteristics for Building Materials.

### 1.4 SUBMITTALS

- A. A. Submit under provisions of Section 01300.
  - B. Product Data: Manufacturer's data sheets on each product to be used, including:
- Preparation instructions and recommendations.
- 2. Storage and handling requirements and recommendations.
- Installation methods.
  - C. Shop Drawings: Submit manufacturer's standard drawings detailing plan and section views for each product specified.
  - D. Selection Samples: For each finished product specified, complete sets of samples representing manufacturer's full range of available colors and patterns are available upon request.

#### 1.5 QUALITY ASSURANCE

A. Manufacturer Qualifications: All primary products specified in this section will be provided by a single manufacturer with a minimum of ten (10) years experience.

- B. Regulatory Requirements: Conform to applicable code for flame/smoke ratings in bulletin boards in accordance with ASTM E84.
- 1.6 DELIVERY, STORAGE, AND HANDLING
- A. After opening and inspecting boards for damage, return them to their original crates or cartons for storage and do not uncrate until boards are to be installed.
- 1. When uncrated, do not allow boards to lean at an angle against a wall or other objects, or to lie on the floor for any length of time.

2.

- 3. Store boards in as close to a vertical position as possible.
- B. Storage and Protection: Store materials protected from exposure to harmful weather conditions and at temperature and humidity conditions recommended by manufacturer
- C. Store and dispose of hazardous materials, and materials used with hazardous materials, in accordance with requirements of local authorities having jurisdiction.

#### 1.7 PROJECT CONDITIONS

- A. Maintain environmental conditions (temperature, humidity, and ventilation) within limits recommended by manufacturer for optimum results. Do not install products under environmental conditions outside manufacturer's absolute limits.
- B. EverWhite products are designed to be installation-ready, however, installation and the installation environment are out of EverWhite's control and therefore installation is not warranted by EverWhite in any circumstance.

#### 1.8 WARRANTY

- A. The warranty is only valid for the original purchasing entity and covers replacement of defective product but does not include the cost of removal or reinstallation.
- B. Warranty for Laminated Face Sheet: Upon request, provide to owner or owner's representative an executed copy of the Manufacturer's standard warranty in which the manufacturer agrees to repair or replace laminated face sheets that fail in material or workmanship for a period of one year from the date of purchase. Seller's sole obligation under this limited warranty would be a refund of the purchase price, subject to EverWhite's Prorated Depreciation Schedule.
- C. Failures are limited to surfaces that exhibit ghosting or staining. All EverWhite dry erase surfaces are guaranteed against ghosting and staining for the lifetime of the building. Seller's sole obligation under this limited warranty would be a refund of the purchase price, subject to EverWhite's Prorated Depreciation Schedule.

#### PART 2 PRODUCTS

### 2.1 MANUFACTURERS

- A. Acceptable Manufacturer: EverWhite, which is located at: 184 Railroad Drive, Warminster, PA, 18974 Toll Free Tel: 800-335-7319; Email: sales@everwhiteboards.com; Web: www.everwhiteboards.com.
- B. Substitutions: Not permitted.
- C. Requests for substitutions will be considered in accordance with provisions of Section 01600.

#### 2.2 DISPLAY BOARDS

A. Magnetic Dry Erase Board: Balanced, high-pressure, factory-laminated dry erase board assembly of 3-ply construction consisting of backing sheet, core material, and a laminated 24-gauge steel face sheet with durable gloss finish highly resistant to ghosting and staining.

- 1. Face Sheet: Laminated 24 gauge steel sheet.
- 2. Color: White.
- 3. Core Material: 1/2 inch (12mm) thick hexacomb material.
- Backing Sheet: 0.003 inch (0.1mm) thick manufacturer's standard moisture barrier.
- 5. Thickness: Nominal 1/2 inch (13mm).
- 6. Size: 1 foot tall by 1 foot wide (304x304mm) board.
- 7. Size: 1-1/2 foot tall by 2 foot wide (457x609mm) board.
- 8. Size: 2 foot tall by 2 foot wide (609x609mm) board.
- 9. Size: 2 foot tall by 3 foot wide (609x914mm) board.
- 10. Size: 2 foot tall by 4 foot wide (609x1219mm) board.
- 11. Size: 3 foot tall by 4 foot wide (914x1219mm) board.
- 12. Size: 4 foot tall by 4 foot wide (1219x1219mm) board.
- 13. Size: 4 foot tall by 5 foot wide (1219x1560mm) board.
- 14. Size: 4 foot tall by 6 foot wide (1219x1829mm) board.15. Size: 4 foot tall by 8 foot wide (1219x2438mm) board.
- 16. Size: 4 foot tall by 10 foot wide (1219x3048mm) board.
- 17. Size: 4 foot tall by 12 foot wide (1219x3658mm) board.
- 18. Size: 4 foot tall by 16 foot wide (1219x4877mm) board.
- 19. Size: 4 foot tall by 20 foot wide (1219x6096mm) board.
- 20. Size: 4 foot tall by 24 foot wide (1219x7315mm) board.
- 21. Size: \_\_\_ foot tall by \_\_\_ foot wide (\_\_\_\_ x \_\_\_mm) board.
- 22. Assembly: All boards are one piece up to 12 feet (3658mm) in length. When length exceeds 12 feet (3658mm), manufacturer's H-Channel will be provided. Assembly required at site.
- B. Non-Magnetic Dry Erase Board: Balanced, high-pressure, factory-laminated dry erase board assembly of 3-ply construction consisting of backing sheet, core material, and a laminated hardboard face sheet with durable gloss finish highly resistant to ghosting and staining.
- 1. Face Sheet: Laminated 1/8 inch (3mm) thick hardboard.
- 2. Color: White.
- 3. Core Material: 3/8 inch (9.5mm) thick hexacomb material.
- 4. Backing Sheet: 0.003 inch (0.1mm) thick manufacturer's standard moisture barrier.
- 5. Thickness: Nominal 1/2 inch (13mm).
- 6. Size: 1 foot tall by 1 foot wide (304x304mm) board.
- 7. Size: 1-1/2 foot tall by 2 foot wide (457x609mm) board.
- 8. Size: 2 foot tall by 2 foot wide (609x609mm) board.
- 9. Size: 2 foot tall by 3 foot wide (609x914mm) board.
- 10. Size: 2 foot tall by 4 foot wide (609x1219mm) board.
- Size: 3 foot tall by 4 foot wide (914x1219mm) board.Size: 4 foot tall by 4 foot wide (1219x1219mm) board.
- 13. Size: 4 foot tall by 5 foot wide (1219x1560mm) board.
- 14. Size: 4 foot tall by 6 foot wide (1219x1829mm) board.
- 15. Size: 4 foot tall by 8 foot wide (1219x2438mm) board.
- 16. Size: 4 foot tall by 10 foot wide (1219x3048mm) board.
- 17. Size: 4 foot tall by 12 foot wide (1219x3658mm) board.
- 18. Size: 4 foot tall by 16 foot wide (1219x4877mm) board.
   19. Size: 4 foot tall by 20 foot wide (1219x6096mm) board.
- 20. Size: 4 foot tall by 24 foot wide (1219x7315mm) board.
- 21. Size: \_\_\_ foot tall by \_\_\_ foot wide (\_\_\_\_ x \_\_\_mm) board.
- 22. Assembly: All boards are one piece up to 12 feet (3658mm) in length. When length exceeds 12 feet (3658mm), manufacturer's H-Channel will be provided. Assembly required at site.

C.	Laminated Steel Resurfacing Panel: A laminated steel face sheet with a durable gloss
finish	highly resistant to ghosting and staining.
1.	Face Sheet: Laminated 24 gauge steel sheet.
2.	Color: White.
3	Mounting Adhesive: Manufacturer's standard pre-applied pressure sensitive
adhes	
4.	Size: 1 foot tall by 1 foot wide (304x304mm) board.
5.	Size: 1-1/2 foot tall by 2 foot wide (457x609mm) board.
6. 7	Size: 2 foot tall by 2 foot wide (609x609mm) board.
7. o	Size: 2 foot tall by 3 foot wide (609x914mm) board.
8. 0	Size: 2 foot tall by 4 foot wide (609x1219mm) board.
9. 10	Size: 3 foot tall by 4 foot wide (914x1219mm) board. Size: 4 foot tall by 4 foot wide (1219x1219mm) board.
10. 11.	Size: 4 foot tall by 5 foot wide (1219x1560mm) board.
12.	Size: 4 foot tall by 6 foot wide (1219x1829mm) board.
13.	Size: 4 foot tall by 8 foot wide (1219x2438mm) board.
14.	Size: 4 foot tall by 10 foot wide (1219x3048mm) board.
15.	Size: 4 foot tall by 12 foot wide (1219x3658mm) board.
16.	Size: 4 foot tall by 16 foot wide (1219x4877mm) board.
17.	Size: 4 foot tall by 20 foot wide (1219x6096mm) board.
18.	Size: 4 foot tall by 24 foot wide (1219x7315mm) board.
19.	Size: foot tall by foot wide ( xmm) board.
20.	Assembly: All boards are one piece up to 12 feet (3658mm) in length. When length
	eds 12 feet (3658mm), manufacturer's seam strip will be provided. Installation required at
site.	
	TIMatte Magnetic Dry Erase Board: Balanced, high-pressure, factory-laminated dry erase
	l assembly of 3-ply construction consisting of backing sheet, core material, and a laminated
	tuge steel face sheet with durable matte finish highly resistant to ghosting and staining. Can
	ed as a projection surface as well as a whiteboard.
1.	Face Sheet: Laminated 24 gauge steel sheet.
2. 3.	Color: White. Core Material: 1/2 inch (12mm) thick hexacomb material.
3. 4.	Backing Sheet: 0.003 inch (0.1mm) thick manufacturer's standard moisture barrier.
<del>-1</del> . 5.	Thickness: Nominal 1/2 inch (13mm).
6.	Size: 1 foot tall by 1 foot wide (304x304mm) board.
7.	Size: 1-1/2 foot tall by 2 foot wide (457x609mm) board.
8.	Size: 2 foot tall by 2 foot wide (609x609mm) board.
9.	Size: 2 foot tall by 3 foot wide (609x914mm) board.
10.	Size: 2 foot tall by 4 foot wide (609x1219mm) board.
11.	Size: 3 foot tall by 4 foot wide (914x1219mm) board.
12.	Size: 4 foot tall by 4 foot wide (1219x1219mm) board.
13.	Size: 4 foot tall by 5 foot wide (1219x1560mm) board.
14.	Size: 4 foot tall by 6 foot wide (1219x1829mm) board.
15.	Size: 4 foot tall by 8 foot wide (1219x2438mm) board.
16.	Size: 4 foot tall by 10 foot wide (1219x3048mm) board.
17.	Size: 4 foot tall by 12 foot wide (1219x3658mm) board.
18.	Size: 4 foot tall by 16 foot wide (1219x4877mm) board.
19.	Size: 4 foot tall by 20 foot wide (1219x6096mm) board.
20.	Size: 4 foot tall by 24 foot wide (1219x7315mm) board.
21.	Size: 5 foot tall by 6 foot wide (1524x1829mm) board.
22.	Size: 5 foot tall by 8 foot wide (1524x2438mm) board.
23.	Size: 5 foot tall by 10 foot wide (1524x3048mm) board.
24.	Size: 5 foot tall by12 foot wide (1524x3658mm) board.
25.	Size: foot tall by foot wide ( x mm) board.
26.	Assembly: All boards are one piece up to 12 feet (3658mm) in length. When length
	eds 12 feet (3658mm), manufacturer's H-Channel will be provided. Assembly required at
site.	

E. ULTIMatte Laminated Steel Resurfacing Panel: A laminated steel face sheet with a durable matte finish highly resistant to ghosting and staining. Can be used as a projection surface as well as a whiteboard.

- 1. Face Sheet: Laminated 24 gauge steel sheet. 2. 3. Mounting Adhesive: Manufacturer's standard pre-applied pressure sensitive adhesive. 4. Size: 1 foot tall by 1 foot wide (304x304mm) board. 5. Size: 1-1/2 foot tall by 2 foot wide (457x609mm) board. Size: 2 foot tall by 2 foot wide (609x609mm) board. 6. 7. Size: 2 foot tall by 3 foot wide (609x914mm) board. 8. Size: 2 foot tall by 4 foot wide (609x1219mm) board. 9. Size: 3 foot tall by 4 foot wide (914x1219mm) board. 10. Size: 4 foot tall by 4 foot wide (1219x1219mm) board. 11. Size: 4 foot tall by 5 foot wide (1219x1560mm) board. Size: 4 foot tall by 6 foot wide (1219x1829mm) board. 12. Size: 4 foot tall by 8 foot wide (1219x2438mm) board. 13. 14. Size: 4 foot tall by 10 foot wide (1219x3048mm) board. 15. Size: 4 foot tall by 12 foot wide (1219x3658mm) board. Size: 4 foot tall by 16 foot wide (1219x4877mm) board. 16. 17. Size: 4 foot tall by 20 foot wide (1219x6096mm) board. Size: 4 foot tall by 24 foot wide (1219x7315mm) board. 18. 19. Size: 5 foot tall by 6 foot wide (1524x1829mm) board. 20. Size: 5 foot tall by 8 foot wide (1524x2438mm) board. 21. Size: 5 foot tall by 10 foot wide (1524x3048mm) board. 22. Size: 5 foot tall by12 foot wide (1524x3658mm) board. Size: \_\_\_ foot tall by \_\_\_ foot wide (\_\_\_\_ x \_\_\_ 23. mm) board. Assembly: All boards are one piece up to 12 feet (3658mm) in length. When length 24. exceeds 12 feet (3658mm), manufacturer's seam strip will be provided. Installation required at F. Cork Bulletin Board: Self healing tack assembly composed of natural cork sheet factory laminated to a hardboard backing. Face Sheet: Laminated 1/4 inch (6mm) thick natural cork sheet. 1. Backing Sheet: 3/8 inch (10mm) thick hardboard. 2. 3. Size: 1 foot tall by 1 foot wide (304x304mm) board. 4. Size: 1-1/2 foot tall by 2 foot wide (457x609mm) board. 5. Size: 2 foot tall by 2 foot wide (609x609mm) board. 6. Size: 2 foot tall by 3 foot wide (609x914mm) board. 7. Size: 2 foot tall by 4 foot wide (609x1219mm) board. Size: 3 foot tall by 4 foot wide (914x1219mm) board. 8. 9. Size: 4 foot tall by 4 foot wide (1219x1219mm) board. Size: 4 foot tall by 5 foot wide (1219x1560mm) board. 10. Size: 4 foot tall by 6 foot wide (1219x1829mm) board. 11. Size: 4 foot tall by 8 foot wide (1219x2438mm) board. 12. 13. Size: 4 foot tall by 10 foot wide (1219x3048mm) board. 14. Size: 4 foot tall by 12 foot wide (1219x3658mm) board. 15. Size: 4 foot tall by 16 foot wide (1219x4877mm) board. 16. Size: 4 foot tall by 20 foot wide (1219x6096mm) board. 17. Size: 4 foot tall by 24 foot wide (1219x7315mm) board. Size: \_\_\_ foot tall by \_\_\_ foot wide (\_\_\_\_ x \_\_\_mm) board. 18. 19.
- 2.3 **BOARD CONFIGURATION** 
  - A. Combination Board Style A: Two Panels - Vertical H-Channel.

1. Size: 1 foot tall by 1 foot wide (304x304mm) board. 2. Size: 1-1/2 foot tall by 2 foot wide (457x609mm) board. Size: 2 foot tall by 2 foot wide (609x609mm) board. 3. 4. Size: 2 foot tall by 3 foot wide (609x914mm) board. Size: 2 foot tall by 4 foot wide (609x1219mm) board. 5. Size: 3 foot tall by 4 foot wide (914x1219mm) board. 6. Size: 4 foot tall by 4 foot wide (1219x1219mm) board. 7. Size: 4 foot tall by 5 foot wide (1219x1560mm) board. 8. 9. Size: 4 foot tall by 6 foot wide (1219x1829mm) board. Size: 4 foot tall by 8 foot wide (1219x2438mm) board. 10. 11. Size: 4 foot tall by 10 foot wide (1219x3048mm) board. Size: 4 foot tall by 12 foot wide (1219x3658mm) board. 12. 13. Size: 4 foot tall by 16 foot wide (1219x4877mm) board. 14. Size: 4 foot tall by 20 foot wide (1219x6096mm) board. 15. Size: 4 foot tall by 24 foot wide (1219x7315mm) board. 16. Placement: Left Side: Cork Bulletin Board. a. Left Side: Dry Erase Board. b. Right Side: Cork Bulletin Board. C. d. Right Side: Dry Erase Board. B. Combination Board Style B: Three Panels - Dual Vertical H-Channels. Size: 3 foot tall by 3 foot wide (914x914mm) board. 1. 2. Size: 4 foot tall by 4 foot wide (1219x1219mm) board. Size: 4 foot tall by 6 foot wide (1219x1829mm) board 3. Size: 4 foot tall by 8 foot wide (1219x2438mm) board. 4. 5. Size: 4 foot tall by 10 foot wide (1219x3048mm) board. 6. Size: 4 foot tall by 12 foot wide (1219x3658mm) board. 7. Size: 4 foot tall by 16 foot wide (1219x4877mm) board. Size: 4 foot tall by 20 foot wide (1219x6096mm) board. 8. Size: 4 foot tall by 24 foot wide (1219x7315mm) board. 9. 10. Placement: a. Left Side: Cork Bulletin Board. b. Center: Dry Erase Board. Right Side: Cork Bulletin Board. C. C. Combination Board Style C: 2 Panels – H-Channel, Overhead Bulletin Board. 1. Size: 2 foot tall by 2 foot wide (609x609mm) board. 2. Size: 3 foot tall by 3 foot wide (914x914mm) board. 3. Size: 4 foot tall by 4 foot wide (1219x1219mm) board. 4. Size: 4 foot tall by 6 foot wide (1219x1829mm) board 5. Size: 4 foot tall by 8 foot wide (1219x2438mm) board. 6. Size: 4 foot tall by 10 foot wide (1219x3048mm) board. 7. Size: 4 foot tall by 12 foot wide (1219x3658mm) board. 8. Size: 4 foot tall by 16 foot wide (1219x4877mm) board. 9. Size: 4 foot tall by 20 foot wide (1219x6096mm) board. Size: 4 foot tall by 24 foot wide (1219x7315mm) board. 10. Size: \_\_\_ foot tall by \_\_\_ foot wide (\_\_\_\_ x \_\_\_mm) board. 11. Placement: 12. a. Upper: Cork Bulletin Board. Lower: Dry Erase Board. b. H-Channel C. D. Combination Board Style D: 4 Panels - Dual Vertical H-Channels, Horizontal H-Channel, and Overhead Bulletin Board. Size: 4 foot tall by 4 foot wide (1219x1219mm) board. 1.

```
2.
             Size: 4 foot tall by 6 foot wide (1219x1829mm) board
3.
             Size: 4 foot tall by 8 foot wide (1219x2438mm) board.
4.
             Size: 4 foot tall by 10 foot wide (1219x3048mm) board.
5.
             Size: 4 foot tall by 12 foot wide (1219x3658mm) board.
             Size: 4 foot tall by 16 foot wide (1219x4877mm) board.
6.
7.
             Size: 4 foot tall by 20 foot wide (1219x6096mm) board.
             Size: 4 foot tall by 24 foot wide (1219x7315mm) board.
8.
            Size: __
9.
                     foot tall by foot wide ( x mm) board.
10.
             Placement:
             Upper: Cork Bulletin Board.
      a.
             Left Side: Cork Bulletin Board.
      b.
      C.
            Center: Dry Erase Board.
      d.
             Right Side: Cork Bulletin Board.
      e.
             H-Channels.
E.
      Standard Graphic Boards: Graphics permanently laminated into dry erase board.
1.
             Graphic: Penmanship lines.
2.
             Graphic: Music staff lines.
3.
             Graphic: 1 inch (25mm) square grid lines.
4.
             Graphic: EZ Grid, Grid 1"
5.
             Graphic: EZ Grid, Grid 2"
6.
             Graphic: EZ Grid, Dot 1"
7.
             Graphic: EZ Grid, Dot 2"
             Graphic: EZ Grid, ISO 1"
8.
             Graphic: EZ Grid, ISO 2"
9.
10.
             Graphic: Standard Sport, Basketball
11.
             Graphic: Standard Sport, Hockey
12.
             Graphic: Standard Sport, Football
13.
             Graphic: Standard Sport, Soccer
             Graphic: Standard Sport, Volleyball
14.
             Graphic: Calendars, 1, 2, 3, 4, 6 & 12 months and 1 month plus
15.
16.
             Placement: Covering entire dry erase board.
17.
             Size: 1 foot tall by 1 foot wide (304x304mm) board.
18.
             Size: 1-1/2 foot tall by 2 foot wide (457x609mm) board.
19.
             Size: 2 foot tall by 2 foot wide (609x609mm) board.
20.
             Size: 2 foot tall by 3 foot wide (609x914mm) board.
21.
             Size: 2 foot tall by 4 foot wide (609x1219mm) board.
22.
             Size: 3 foot tall by 4 foot wide (914x1219mm) board.
23.
             Size: 4 foot tall by 4 foot wide (1219x1219mm) board.
24.
             Size: 4 foot tall by 5 foot wide (1219x1560mm) board.
             Size: 4 foot tall by 6 foot wide (1219x1829mm) board.
25.
26.
             Size: 4 foot tall by 8 foot wide (1219x2438mm) board.
             Size: 4 foot tall by 10 foot wide (1219x3048mm) board.
27.
28.
             Size: 4 foot tall by 12 foot wide (1219x3658mm) board.
F.
      Graphic Combination Boards: 4 foot by 4 foot (1219mm x 1219mm) graphic permanently
laminated onto one side of the dry erase board. Remaining surface of the board remains plain.
             Graphic: Penmanship lines.
1.
2.
             Graphic: Music staff lines.
3.
             Graphic: 1 inch (25mm) square grid lines.
             Graphic: EZ Grid, Grid 1"
4.
             Graphic: EZ Grid, Grid 2"
5.
6.
             Graphic: EZ Grid, Dot 1"
7.
             Graphic: EZ Grid, Dot 2"
             Graphic: EZ Grid, ISO 1"
8.
9.
             Graphic: EZ Grid, ISO 2"
10.
             Graphic: Standard Sport, Basketball
```

- 11. Graphic: Standard Sport, Hockey 12. Graphic: Standard Sport, Football Graphic: Standard Sport, Soccer 13. 14. Graphic: Standard Sport, Volleyball Graphic: Calendars, 1, 2, 3, 4, 6 & 12 months and 1 month plus 15. 16. Graphic: Size Restrictions: All graphics can be ordered in all available sizes. 17. 18. Size: 4 foot tall by 4 foot wide (1219x1219mm) board. Size: 4 foot tall by 5 foot wide (1219x1560mm) board. 19. Size: 4 foot tall by 6 foot wide (1219x1829mm) board. 20. 21. Size: 4 foot tall by 8 foot wide (1219x2438mm) board. 22. Size: 4 foot tall by 10 foot wide (1219x3048mm) board. 23. Size: 4 foot tall by 12 foot wide (1219x3658mm) board. 24. Size: 4 foot tall by 16 foot wide (1219x4877mm) board. 25. foot tall by \_\_\_ foot wide (\_\_ mm) board. \_\_\_\_ X \_\_\_ Assembly: All boards are one piece up to 12 feet (3658mm) in length. When length exceeds 12 feet (3658mm), manufacturer's H-Channel will be provided. Assembly required at site. 2.4 **FRAMING** A. Aluminum Frame and Marker Tray: Thickness: .719 inch (18mm) thick, extruded aluminum frame. 1. Width: Narrow - 5/8 inch (15mm). 2. Width: Wide - 1 1/8 inch (29mm). 3. 4. Marker Tray: 2 5/8 inch (67mm) Continuous solid extruded aluminum tray with 3 channels and protective plastic end caps. Finish: Satin Anodized clear finish. 5. 6. End Cap Color: Silver. B. Wood Frame and Marker Tray: 1. Thickness: 0.875 inch (22mm) thick, solid wood frame. 2. Width: Narrow – 1 1/4 inch (32mm). 3. Width: Wide – 1 7/8 inch (48mm). 4. Marker Tray: 1 7/8 inch (48mm) deep single channel tray. Wood Type: Natural Oak. 5.
- 6. Wood Type: Maple.
- Wood Type: Maple with Mahogany Stain.
- 8. Wood Type: Maple with Cherry Stain.
- 9. Wood Type: Maple with Black Paint.

#### 2.5 ACCESSORIES

- A. Map Rail: Standard 1 inch (25mm) map rail with cork insert.
- Map Hooks and Clips: Extruded Aluminum.
- 2. Flag Holder: Extruded Aluminum.
- Map Winders: Extruded Aluminum.
- B. Markers and Cleaning Cloths:
- 1. Dry Erase Marker Set including red, blue, green and black.
- EverCloth Reusable dry erase marking board cleaning cloth.


#### PART 3 EXECUTION


#### 3.1 EXAMINATION AND PREPARATION


A. Do not begin installation until substrates have been properly prepared.


- B. If substrate preparation is the responsibility of another installer, notify Architect of unsatisfactory preparation before proceeding.
- C. Clean surfaces thoroughly after installation with water or glass cleaner.
- 3.2 INSTALLATION
- A. Install in accordance with manufacturer's instructions.
- B. Install all units in locations shown on plans, at mounting heights specified on the Contract Drawings. Keep perimeter lines straight, plumb and level.
- C. EVERWhite products are designed to be installation-ready, however, installation and the installation environment are out of EVERWhite's control and therefore installation is not warranted by EWhite in any circumstance.
- 3.3 CLEANING AND PROTECTION
- A. Clean display boards prior to project closeout.
- B. Protect installed products until completion of project.
- C. Repair or replace damaged products before Substantial Completion.


**END OF SECTION** 








































#### **Cork-Whiteboard Combination Board Dimensions** All measurements in feet, height x width Style A Combination Board Dimensions – Cork on Either Side **Left Cork Version Left Cork** Whiteboard **Item Size** 4 x 4 4 x 2 4 x 2 4 x 6 4 x 2 4 x 4 4 x 8 4 x 4 4 x 4 4 x 10 4 x 4 4 x 6 4 x 12 4 x 8 4 x 4 4 x 16 4 x 4 4 x 12 **Right Cork Version Item Size** Whiteboard **Right Cork** 4 x 4 4 x 2 4 x 2 4 x 6 4 x 4 4 x 2 4 x 8 4 x 4 4 x 4 4 x 10 4 x 4 4 x 6 4 x 12 4 x 8 4 x 4 4 x 16 4 x 12 4 x 4 Style B Combination Board Dimensions – Cork on Both Sides **Item Size Left Cork** Whiteboard **Right Cork** 4 x 8 4 x 2 4 x 4 4 x 2 4 x 10 4 x 2 4 x 6 4 x 2 4 x 12 4 x 2 4 x 8 4 x 2 4 x 16 4 x 4 4 x 8 4 x 4

See Style C and D dimensions on next page.

<b>Style C Combination Board Dimensions – Cork on Top</b>
(1-inch man rail runs along the base of the cork panel)

(1-incit map fail fulls along the base of the cork pariet)				
Item Size	Whiteboard	Top Cork		
4 x 4	3 x 4	1 x 4		
4 x 6	3 x 6	1 x 6		
4 x 8	3 x 8	1 x 8		
4 x 10	3 x 10	1 x 10		
4 x 12	3 x 12	1 x 12		
4 x 16	3 x 16	1 x 16	(whiteboard area is two 8' sections joined by an H channel)	

## Style D Combination Board Dimensions – Cork on Top and Both Sides

(1-inch map rail runs along the base of the cork panel)

Left Cork	Whiteboard	Right Cork	Top Cork
3 x 2	3 x 4	3 x 2	1 x 8
3 x 2	3 x 6	3 x 2	1 x 10
3 x 2	3 x 8	3 x 2	1 x 12
3 x 4	3 x 8	3 x 4	1 x 16
	3 x 2 3 x 2 3 x 2	3 x 2     3 x 4       3 x 2     3 x 6       3 x 2     3 x 8	3x2     3x4       3x2     3x6       3x2     3x8


EVERWhite - everwhiteboards.com



Ta	ke	Off	Sh	eet
···	$\sim$	$\sim$ 11	•	$\sim$

Date: \_\_\_\_\_ PG#\_\_\_\_ OF: \_\_\_\_

Att: Estimating



#### **CIRCLE BOARD CHOICES BELOW:**

Board Surface	Cork Color Options				Trim Options	Rail Options	
High Gloss Dry Erase Whiteboard     High Gloss Dry Erase Resurfacing Panel	Autumn	Charcoal	Chili Pepper	Cinnamon	Clay	•5/8" narrow aluminum •1-1/8" wide aluminum	With marker tray  Without marker tray
•ULTimatte Projection Board							•1" map and display Rail (shown below)
•ULTimatte Projection Resurfacing Panel •Forbo® Cork	Cobalt Blue	Fog	Grass	Natural	Sand	Oak Maple Cherry Mahogany Black	The state of the s
• Custom Printed	Slate	Stone	Timber Walf	Wheat	White Stone	•1-1/4" narrow wood •1-7/8" wide wood	

		ed lines and indicate boo MB=Markerboard	ard type as fo	Job Name	Consignee Zip Code ETA of Project
-		<del> </del>	<del> </del>	Distributor Name	Architect's Name
48"	ТВ	МВ	ТВ	EXAMPLE Estimator	Architect's Address
				Phone	
1	18"	0.5%	18"	I	

## **EVERWhite Whiteboards**